

Material Safety Data Sheet

AQUATREAT® 964

Page: 1/5

Printing date: 5/06/2009

1. IDENTIFICATION OF THE PREPARATION AND THE COMPANY

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

TRADE NAME AQUATREAT® 964

USE OF THE SUBSTANCE/PREPARATION

Flocculant for waste water

COMPANY IDENTIFICATION

COMPANY International Aquatreat company bvba

ADDRESS Industrial Zone - Nieuwland 15

3200 AARSCHOT

TEL +32 (0)16 562121

FAX +32 (0)16 560166

WEBSITE www.aquatreat.be

EMERGENCY TELEPHONE NUMBER

EMERGENCY TELEPHONE NUMBER +32 (0)16562121

2. COMPOSITION/INFORMATION ON INGREDIENTS

INFORMATION ON INGREDIENTS

NAME	CAS-NUMBER	EG NUMBER	CONC.	DANGER SYMBOLS	R-PHRASES
Sodium hydroxide	1310-73-2	215-185-5	2 ≤ C < 5 %	C	R35

3. HAZARDS IDENTIFICATION

DANGERS FOR HUMANS AND THE ENVIRONMENT

Causes burns.

OTHER DANGERS None

4. FIRST AID MEASURES

INHALATION

Move the person to fresh air

SKIN

Wash immediately with lots of water

EYES

Wash immediately with lots of water (15 minutes)

INGESTION

Immediately after ingestion: give lots of water to drink
seek medical advice immediately

Industrial Zone - Nieuwland 15

3200 AARSCHOT

www.aquatreat.be

aquatreat@aquatreat.be

+32 (0)16 562121

+32 (0)16 560166

Material Safety Data Sheet

AQUATREAT® 964

Page: 2/5

Printing date: 5/06/2009

5. FIRE FIGHTING MEASURES

SUITABLE EXTINGUISHING MEDIA

Powder

Water

Foam

EXTINGUISHING MEDIA TO AVOID

Not specified

6. ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Protective clothing

ENVIRONMENTAL PRECAUTIONS

Plug the leak, cut off the supply

Prevent soil and water pollution

METHODS FOR CLEANING UP

Clean contaminated surfaces with an excess of water

7. HANDLING AND STORAGE

HANDLING

PRECAUTIONS MANIPULATION Keep packing tightly closed

STORAGE

PRECAUTIONS STORAGE Keep container in a well ventilated place.
Ventilation - Ensure good ventilation

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

PERSONAL PROTECTION

RESPIRATORY PROTECTION /
HAND PROTECTION Gloves
EYE PROTECTION Protective goggles
SKIN PROTECTION Wear suitable gloves, resistant to chemicals

Material Safety Data Sheet

AQUATREAT® 964

Page: 3/5

Printing date: 5/06/2009

9. PHYSICAL AND CHEMICAL PROPERTIES

GENERAL INFORMATION

PHYSICAL STATE	Liquid
ODOUR	Odourless
COLOUR	Colourless
OTHER GENERAL INFORMATION	Clear
WATER SOLUBILITY	Completely soluble

VALUES OF PHYSICAL PROPERTIES

MELTING POINT	/
BOILING POINT (PREP)	>= 100 °C
RELATIVE DENSITY	1,11 +/- 0,02
VAPOUR PRESSURE (20°C)	/
PH	> 11

DANGER OF EXPLOSION AND FIRE

FLASH POINT /

10. STABILITY AND REACTIVITY

CHEMICAL REACTIONS

Heating up due to reaction with acids is possible

CONDITIONS AND MATERIALS TO AVOID

(strong) acids

heat sources

HAZARDOUS DECOMPOSITION PRODUCTS

/

11. TOXICOLOGICAL INFORMATION

TOXICITY

LD50 (ORAL,RAT) > 2000 mg/kg

CHRONIC TOXICITY

CHRONIC TOXICITY

Not listed in mutagenicity class (EG,MAK)

Not listed in teratogenicity class (EG,MAK)

Material Safety Data Sheet

AQUATREAT® 964

Page: 4/5

Printing date: 5/06/2009

12.ECOLOGICAL INFORMATION

ECOTOXICITY

LC50 (WATER ORGANISMS) 30 mg/l (96h), Algae

EC50 (DAPHNIA) > 100 mg/l (25h)

MOBILITY

ENVIRONMENT INFORMATION FOR WATER
pH shift

OTHER ADVERSE EFFECTS

/

13.DISPOSAL CONSIDERATIONS

DISPOSAL OF THE PRODUCT AND WASTE

Refer to manufacturer/supplier for information on recovery/ recycling

14.TRANSPORT INFORMATION

UNO

UN NUMBER 1824

ROAD (ADR)

UN NUMBER 1824

ADR-CLASS 8

ADR SYMBOL



8 -

Corrosive
substances

ADR PROPER SHIPPING NAME UN 1824 sodium hydroxide, solution, 8, II

ADR-PACKING GROUP II

Material Safety Data Sheet

AQUATREAT® 964

Page: 5/5

Printing date: 5/06/2009

15. REGULATORY INFORMATION

NAME OF THE COMPONENTS DETERMINING THE DANGER

NAME

Sodium hydroxide

DANGER SYMBOLS



C -

Corrosive

R-PHRASES

R34 - Causes burns.

S-PHRASES

S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S37/39 - Wear suitable gloves and eye/face protection.

S45 - In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

16. OTHER INFORMATION

R-PHRASES

R35 - Causes severe burns.

FURTHER INFORMATION

The contents and format of this material safety data sheet are in accordance with EC Commission Directives 67/548/EC, 88/379/EC, 91/155/EC and updates from the European Commission.

REVISION

1

REVIEW DATE

28/04/2005